



# PRESENTATION

**C&D MATERIALS LIMITED**

**“We, C&D MATERIALS LIMITED is dedicated to satisfy our customers by providing high quality products , best services and promptly delivering”.**



# Index

- 1 Reconstituted Veneer**
- 2 Fleece Back Veneer**
- 3 Paper Back Veneer**
- 4 Woven Veneer**
- 5 Veneer Edge Banding**
- 6 Veneered Panels**



# Reconstituted Veneer



## How to choose and specify our reconstituted veneer

- ① Wood species : Oak, Walnut, Ash, Teak, Rosewood, Zebra, Ebony, Wenge, Cherry, Elm, Burl
- ② Grains : Quarter, Flat cut, Burl, Exotic
- ③ Width (mm): 320mm, 640mm, 1280mm
- ④ Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm
- ⑤ Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



# Fleece Back Veneer



## How to choose and specify our fleece back veneer

- 1 Wood species :      Natural wood              Oak, Walnut, Ash, Teak, Ebony, Cherry, Bubinga, Beech  
                                 Reconstituted wood      Oak, Walnut, Ash, Teak, Rosewood, Zebra, Ebony, Wenge, Cherry, Burl
- 2 Grains :              Quarter, Flat cut, Burl, Exotic
- 3 Width (mm):        90, 100, 120, 150, 200, 320, 640, 1280
- 4 Length (mm):      2000, 2200, 2500, 2800, 3000, 3100
- 5 Thickness (mm):    0.15mm, 0.2mm, 0.3mm, 0.4mm, 0.5mm, 0.6mm





## Paper Back Veneer



### How to choose and specify our paper back veneer

- 1 Wood species :      Natural wood              Oak, Walnut, Ash, Teak, Ebony, Cherry, Bubinga  
                                 Reconstituted wood      Oak, Walnut, Ash, Teak, Rosewood, Zebra, Ebony, Wenge, Cherry, Burl
- 2 Grains :              Quarter, Flat cut, Burl, Exotic
- 3 Width (mm):        90, 100, 120, 150, 200, 320, 600, 640, 1250
- 4 Length (mm):      2000, 2200, 2500, 2800, 3000, 3100
- 5 Thickness (mm):    0.15mm, 0.2mm, 0.3mm, 0.4mm, 0.5mm, 0.6mm



## Woven Veneer



### How to choose and specify our woven veneer

- 1
- 2
- 3
- 4
- 5

Wood species : Oak, Walnut, Ash, Teak, Rosewood, Zebra, Ebony, Wenge, Cherry, Elm, Burl

Grains : Quarter, Flat cut,

Width (mm): 320mm, 640mm, 1250mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm

Thickness (mm): 0.4mm to 1.0mm





# Veneer Edge Banding



## How to choose and specify our veneer edge banding

- 1 Wood species :      Natural wood              Oak, Walnut, Ash, Cherry, Beech, Zebra, Okoume, Sapele, Maple  
                                 Reconstituted wood      Oak, Walnut, Ash, Teak, Rosewood, Zebra, Ebony, Wenge, Cherry, Burl
- 2 Grains :              Quarter, Flat cut, Burl, Exotic
- 3 Width (mm):        15mm to 300mm
- 4 Length :            200 meters per roll
- 5 Thickness (mm):    0.3mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm



## Veneered Panels



### How to choose and specify our veneered panels

- 1 Face veneer species : Oak, Walnut, Ash, Teak, Rosewood, Zebra, Ebony, Wenge, Cherry, Elm, Burl
- 2 Face veneer grains : Quarter, Flat cut, Burl
- 3 Base core: Plywood , MDF, Blockboard
- 4 Panels size : 1220 x 2440mm
- 5 Thickness : 5.0mm to 25mm





Fully integrated wood veneer products supplier

- Reconstituted Veneer
- Fleece Back Veneer
- Paper Back Veneer
- Woven Veneer
- Veneer Edge Banding
- Veneered Panels



## **C&D Materials Limited**

No.288,Dongzhi St, Luoshe, Huzhou, Zhejiang, 313200 CHINA

TEL: + 86-572-822-9896

MOB: + 86-139-8980-6466

Email : [sales@woodenave.com](mailto:sales@woodenave.com)

Website : [www.woodenave.com](http://www.woodenave.com)