

# **ENGINEERED WOOD VENEER**

**C&D MATERIALS LIMITED**

**“We, C&D MATERIALS LIMITED is dedicated to satisfy our customers by providing high quality products , best services and promptly delivering”.**



# Index

- |           |                         |           |                        |
|-----------|-------------------------|-----------|------------------------|
| <b>1</b>  | <b>Oak Veneer</b>       | <b>13</b> | <b>Maple Veneer</b>    |
| <b>2</b>  | <b>Walnut Veneer</b>    | <b>14</b> | <b>Makore Veneer</b>   |
| <b>3</b>  | <b>Ash Veneer</b>       | <b>15</b> | <b>Padauk Veneer</b>   |
| <b>4</b>  | <b>Teak Veneer</b>      | <b>16</b> | <b>Apricot Veneer</b>  |
| <b>5</b>  | <b>Ebony Veneer</b>     | <b>17</b> | <b>Elm Veneer</b>      |
| <b>6</b>  | <b>Wenge Veneer</b>     | <b>18</b> | <b>Pearl Veneer</b>    |
| <b>7</b>  | <b>Qiuxiang Veneer</b>  | <b>19</b> | <b>Lacewood Veneer</b> |
| <b>8</b>  | <b>Rosewood Veneer</b>  | <b>20</b> | <b>Burlwood Veneer</b> |
| <b>9</b>  | <b>Zebrawood Veneer</b> | <b>21</b> | <b>Exotic Veneer</b>   |
| <b>10</b> | <b>Cherry Veneer</b>    |           |                        |
| <b>11</b> | <b>Sapele Veneer</b>    |           |                        |
| <b>12</b> | <b>Bubinga Veneer</b>   |           |                        |

# Oak Veneer



White Oak C/C



Red Oak C/C



Yellow Oak Q/C



Black Oak Q/C



Chinese Oak C/C



Gray Oak Q/C

## How to choose and specify our oak engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species : Red Oak, White Oak, Yellow Oak, Black Oak, Chinese Oak, Gray Oak

Grains : Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm

# Walnut Veneer




Walnut C/C



Walnut Q/C



Walnut C/C



Walnut Q/C



Walnut N



Walnut C/C

## How to choose and specify our walnut engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species : Black walnut, Copy natural walnut, Dark walnut, Washed walnut

Grains : Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm

# Ash Veneer



White Ash Q/C



Ash Q/C



Ash Q/C



Chinese Ash Q/C



Chinese Ash C/C



SQL C/C

## How to choose and specify our ash engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species : White Ash, Ash, Chinese Ash

Grains : Quarter, Flat cut (Crown cut),


Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



# Teak Veneer



Teak Q/C



Golden Teak Q/C



Burma Teak Q/C



Burma Teak Q/C



Teak C/C



Burma Teak C/C

## How to choose and specify our teak engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species : Teak, Burma Teak, Golden Teak, Africa Teak

Grains : Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm


Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm


# Ebony Veneer




Ebony Q/C



Ebony Q/C




Ebony Q/C



Ebony Q/C



Ebony N



Ebony C/C

## How to choose and specify our ebony engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species : Ebony , Macassar ebony, Amara ebony

Grains : Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



# Wenge Veneer



Wenge Q/C




Wenge Q/C



Wenge Q/C



Wenge Q/C



Wenge C/C



Wenge N

## How to choose and specify our wenge engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Wenge

Grains: Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



# Qiuxiang Veneer



Washed Qiuxiang Q/C



Washed Qiuxiang Q/C



Qiuxiang Q/C



Washed Qiuxiang C/C



Washed Qiuxiang C/C



Washed Qiuxiang C/C

## How to choose and specify our qiuxiang engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species : Qiuxiang, Washed Qiuxiang

Grains : Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



# Rosewood Veneer



Rosewood C/C



Rosewood Q/C



Rosewood C/C



Rosewood C/C



Rosewood C/C



Rosewood Q/C

## How to choose and specify our rosewood engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Zebrawood

Grains: Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



# Zebrawood Veneer



Zebrawood Q/C



Zebrawood Q/C



Zebrawood Q/C



Zebrawood Q/C



Zebrawood Q/C



Zebrawood Q/C

## How to choose and specify our zebrawood engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Zebrawood

Grains: Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



# Cherry Veneer



Cherry C/C



Cherry C/C



Cherry Q/C



Cherry Q/C



Cherry C/C



Cherry Q/C

## How to choose and specify our cherry engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Cherry

Grains: Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm

## Sapele Veneer



Sapele Q/C



Sapele C/C



Sapele Q/C



Sapele C/C

### How to choose and specify our sapele engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Sapele

Grains: Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm

# Bubinga Veneer



Bubinga Q/C



Bubinga C/C



Bubinga Q/C



Bubinga C/C



Bubinga C/C



Bubinga N/C

## How to choose and specify our bubinga engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species : Bubinga, Bubinga burl

Grains : Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



# Maple Veneer



Maple C/C



Maple Q/C

## How to choose and specify our maple engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Maple

Grains: Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm

# Makore Veneer



Makore Q/C



Makore C/C



Makore Q/C



Makore Q/C

## How to choose and specify our makore engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Makore

Grains: Quarter,

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



## Padauk Veneer



Padauk Q/C



Padauk C/C



Padauk Q/C



Padauk C/C



Padauk Q/C



Padauk Q/C

### How to choose and specify our padauk engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Padauk


Grains: Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm

# Apricot Veneer



Apricot C/C



Apricot Q/C



Apricot C/C



Apricot Q/C



Apricot Q/C



Apricot C/C

## How to choose and specify our apricot engineered veneer

1

Wood species : White Apricot, Black Apricot, Silver Apricot

2

Grains : Quarter, Flat cut (Crown cut),

3

Width (mm): 320mm, 640mm, 1280mm

4

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

5

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm

# Elm Veneer



Elm Q/C



Elm Q/C



Elm C/C



Elm Q/C



Elm Q/C



Elm C/C

## How to choose and specify our elm engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Elm


Grains: Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm

## Pearl Veneer



Pearl N



Pearl N



Pearl N



Pearl N



Pearl N



Pearl N

### How to choose and specify our pearl engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Pearl

Grains: Quarter

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm

# Lacewood Veneer



Lacewood N



Lacewood C/C



Lacewood N



Lacewood Q/C



Lacewood N



Lacewood N

## How to choose and specify our lacewood engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Lacewood

Grains: Quarter, Flat cut (Crown cut),

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm


# Burlwood Veneer



Burl N



Burl N



Burl N



Burl N



Burl N



Burl N

## How to choose and specify our burlwood engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Burlwood

Grains: Flat cut

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



## Exotic Veneer



Exotic Q/C



Olive N




Exotic Q/C



Exotic Q/C



Exotic Burl



Exotic Tulip

### How to choose and specify our exotic engineered veneer

- 1
- 2
- 3
- 4
- 5

Wood species: Exotic

Grains: Quarter, Flat cut (Crown cut), Burl

Width (mm): 320mm, 640mm, 1280mm

Length (mm): 2000mm, 2200mm, 2500mm, 2800mm, 3000mm, 3400mm

Thickness (mm): 0.2mm, 0.3mm, 0.35mm, 0.4mm, 0.5mm, 0.6mm, 0.9mm, 1.0mm



## Fully integrated wood veneer products supplier

- Reconstituted Veneer
- Fleece Back Veneer
- Paper Back Veneer
- Woven Veneer
- Veneer Edge Banding
- Veneered Panels



### **C&D Materials Limited**

No.288,Dongzhi St, Luoshe, Huzhou, Zhejiang, 313200 CHINA

TEL: + 86-572-822-9896

MOB: + 86-139-8980-6466

Email : [sales@woodenave.com](mailto:sales@woodenave.com)

Website : [www.woodenave.com](http://www.woodenave.com)